


4200E.220.Ux.SE

IP65 weather proof wall mounting case, single sided Outdoor use with sunlight visible ultra bright red or yellow LED Automatic brightness control reduces display brightness at night. Case supplied with bracket with clock case set to zero declination.



90

123

4200E.220.Ux.SE

for wet indoor or outdoor areas

12/24 HourDisplay

Ultra Bright red or yellow LED 220mm Figures: Viewing Distance: 100-120m

Automatic Daylight Saving Changes

Automatic Dimming

Alternating Time & Date Capability

Count-up (stopwatch)/Count-down Function

(with included infra-red remote)

Temperature display (with optional temperature probe)

Stand-alone or networking

Built in Quartz Crystal with accuracy of 0.1 sec/day 240VAC 50 Hz mains supply with battery back-up

Model	LED colour	Case Size L x H x D	Area
4200E.220.UR.SE 4200E.220.UY.SE 4200E.220.W.SE	0.0.0.00	906 x 370 x 123	outdoor



Clock can be programmed to operate in 'stand alone' or 'slave' mode. In slave mode the clock can be synchronised using following signals:

- One second, half minute or one minute uni-polar or polereversing 6-24V impulses
- 482 Time Code
- DCF Time Code
- **GPS Time Code**

JOB NO.:		Digital LED Clock in IP65 weather proof surface mounting case for wet in- or outdoor areas	
DATE:			
DWN:		CUSTOMER:	



P.O. Box 115 - 18 Rose Street ANNANDALE NSW 2038 Ph: +61 2 8205 0575 Fax: +61 2 9571 9754 Email: sales@hertzelectronics.com.au

Web: www.hertzelectronics.com.au