



Multifunction LED Calendar Clock



.S. Surface Mounted Case



4520E.05.x.S

- 12/24 Hour Display
- Red, green or yellow LED
- 50mm Figures: Viewing Distance: 25m
- Automatic Daylight Saving Changes
- Automatic Dimming
- Calendar in 21 languages, up to 3x alternating
- Count-up/Count-down stopwatch/timer mode
- Stand-alone or networking
- Built in Quartz Crystal with accuracy of 0.1 sec/day
- 240VAC 50 Hz mains supply with battery back-up
- Optional 24 or VDC power supply
- Optional PoE (Power over Ethernet) power supply

Optional Modules


- PoE (Power over Ethernet) Midspan and Endspan
- NTP/SNTP Synchronisation via optional 10/100Base-T Ethernet port
- Alternate and single polarity 12-48v DC impulses
- 4040.E - EBU/SMPTE (LTC) interface
- 1 KHz AM coded IRIG-B/Afnor NFS 87 500 time codes
- RS232 coded signal in one of six formats
- RS485 coded signal in one of six formats.

Synchronisation

The 4520E can be synchronised from following external signals:

- GPS Time Code
- GLONASS Time Code
- w482 Time Code
- DCF Time Code
- Additional synch modes using above Optional Modules

Order Number	Case Size L x H x D	Case Finishes
4520E.05.R.S	480 x 180 x 58	Standard: black anodised
4520E.05.G.S		Optional: natural anodised
4520E.05.Y.S		RAL colours

JOB NO.:	DWG NO.:	TITLE: 4520E.05.x.S Two Line Calendar Clock Specifications	 A.B.N. 69 086 651 014 P.O. Box 115 - 18 Rose Street ANNANDALE NSW 2038 Ph: +61 2 8205 0575 Fax: +61 2 9571 9754 Email: sales@hertzelectronics.com.au Web: www.hertzelectronics.com.au
DATE:	SCALE:	CLIENT:	
DWN: NM	SIZE: A4	COPYRIGHT: The drawing remains the property of Hertz Electronics and may not be used, copied, or reproduced, in whole or part in any form without written permission.	